

Standard Operating Procedure: Low PappA identified from high chance Trisomy screening result and received by email on nhs.net from the Lab



Trust ref: C2/2023

1. Introduction and overarching policy/guideline


This Standard Operating Procedure (SOP) should be used in conjunction with the [Booking Bloods and Urine Test UHL Obstetric Guideline](#) and [Booking Process and Risk Assessment UHL Obstetric Guideline](#).

Related documents:

[Fetal Surveillance - Small for Gestational Age Fetus UHL Obstetric Guideline](#)

[Aspirin in Pregnancy UHL Obstetric Guideline](#)

2. Procedure



3. Documentation

All telephone consultations with women at 16 weeks of gestation to be documented on E3.

Keywords:

Aspirin, Fetal Medicine, Screening

The Trust recognises the diversity of the local community it serves. Our aim therefore is to provide a safe environment free from discrimination and treat all individuals fairly with dignity and appropriately according to their needs.

As part of its development, this policy and its impact on equality have been reviewed and no detriment was identified.

CONTACT AND REVIEW DETAILS			
SOP Lead (Name and Title) H Ulyett – Antenatal and Newborn screening co-ordinator		Executive Lead Chief Nurse	
Details of Changes made during review:			
Date	Issue Number	Reviewed By	Description Of Changes (If Any)
September 2022	4	Maternity Governance Committee	Aspirin dosing and duration updated Format changed and category now as standard SOP rather than emergency COVID-19 pathway