

# Standard Operating Procedure: Low PappA identified from Low chance Trisomy screening result and received by email on nhs.net from the Trisomy Screening Lab



Trust ref:C3/2023

## **1. Introduction and overarching policy/guideline**


This Standard Operating Procedure (SOP) should be used in conjunction with the [Booking Bloods and Urine Test UHL Obstetric Guideline](#) and [Booking Process and Risk Assessment UHL Obstetric Guideline](#).

### **Related documents:**

[Fetal Surveillance - Small for Gestational Age Fetus UHL Obstetric Guideline](#)

[Aspirin in Pregnancy UHL Obstetric Guideline](#)

## 2. Procedure



### **3. Documentation**

All telephone consultations with women at 16 weeks of gestation to be documented on E3

---

**The Trust recognises the diversity of the local community it serves. Our aim therefore is to provide a safe environment free from discrimination and treat all individuals fairly with dignity and appropriately according to their needs.**

**As part of its development, this policy and its impact on equality have been reviewed and no detriment was identified.**

CONTACT AND REVIEW DETAILS			
SOP Lead (Name and Title) H Ulyett – Antenatal and Newborn screening co-ordinator		Executive Lead Chief Nurse	
Details of Changes made during review:			
Date	Issue Number	Reviewed By	Description Of Changes (If Any)
September 2022	4	Maternity Governance Committee	Aspirin dosing and duration updated Format changed and category now as standard SOP rather than emergency COVID-19 pathway